

Datasheet UVP-Touch-L

Phone Touch (Locked)





Mechanical

Dimensions	166 x 140 x 183 mm (6.5 x 5.5 x 7.2")
Weight	1.10 kg (2.43 lb)
Enclosure materials	Plastic, aluminum (base)
Display	
Display size	127 mm (5") diagonal
Resolution	720 x 1280 HD (16:9)
Screen technology	G+F Multi-touch
Video	
Camera sensor	5 MP
Resolution	2592 x 1944
Audio	
Handset dynamic receiver	16 ohm SPL 116 dB at1 KHz, 30mW, 0 m
Handset microphone	Omnidirectional electret microphone SNR 70 dB
	Sensitivity -38 ± 3 dB
Codec	Standalone Hi-Fi audio codec IC Smart speaker amplifier
Hands-free speaker	Mono, 4 ohm
	Nominal power: 2W Max. power: 3W
	SPL 80 dB at 1W, 0.5 m
Hands-free microphone	Dual omnidirectional MEMS microphones SNR 64 dB
	Sensitivity -26 dBFS Digital microphone
Hardware	
Processor	Octa-Core ARM [®] Cortex [®] A53, 1.8 GHz
Memory	Storage: 32 GB RAM: 2 GB

Headset support

WiFi standards

Power input

Power output

Connectivity

Max. power consumption

3.5 mm (0.14") audio jack

Type-C port (charging only)

(2) 10/100/1000 MbE RJ45 Bluetooth[®] 4.2

WiFi 2.4 GHz b/g/n, 20/40 MHz

WiFi 5 GHz a/n/ac, 20/40/80 MHz, slave DFS

802.11 a/b/g/n/ac

PoE

8W

Operating temperature	0 to 40° C (32 to 104° F)
Operating humidity	10 to 90% honcondensing
Certifications	FCC, IC, CE

Software

LED	Power status
Audio DSP algorithm	Active echo cancellation, noise suppression, blind source separation
Protocol	SIP/SDP/RTP/RTCP/VLAN/DHCP
Number of supported phone lines	Multiple
UniFi OS application	UniFi Talk
Minimum software requirements	Woh browcer (Chromo™ recommended)

Minimum software requirements

Web browser (Chrome™ recommended)

©2022 Ubiquiti Inc. All rights reserved. Ubiquiti, the Ubiquiti U logo, the Ubiquiti beam logo, UniFi, UniFi Talk and UniFi Protectare trademarks or registered trademarks of Ubiquiti, Inc. in the United States and in other countries. All other trademarks are the property of their respective owners.