

# DSX BUSINESS



INTRODUCING DSX VoIP



NEC



# DSX



## SOPHISTICATION SIMPLIFIED

**INNOVATIVE** NEC takes the lead with state-of-the-art innovations sure to make your business communications more efficient, profitable, and enjoyable. The DSX telephone superior styling is an attractive addition to any work environment. All models feature a built-in speakerphone, two-position angle adjustment, and built-in wall mounting. Enhanced models also offer a backlit display and illuminated dial pad.

Innovations don't stop with the DSX telephones. Right out of the box, the system has a built-in Automated Attendant which can answer incoming calls, play a greeting, and allow callers to dial extensions and departments directly without operator assistance or additional equipment. Also built-in is the ability to record a custom message for callers on hold.

DSX is sized right – from the economical DSX-40 to the DSX-80/160. To maintain the value of your investment, all DSX-80 cards can be migrated to the DSX-160. Even when growing from the DSX-40, your investment in IntraMail, programming, telephones, and other station equipment is retained.

**AFFORDABLE AND RELIABLE** NEC designed the DSX with affordability and scalability in mind. Since DSX is simple to install and easy to use, the expenses of configuration, programming, and post-installation training are minimized. Over a decade of intense feature development ensures that the core DSX call processing features are mature, efficient, and reliable – yet intuitive and easy to use.

**NOW WITH VOIP** Install DSX IP keysets on-premise in a managed network or off-site in a remote office. Choose between two types of DSX IP extensions: the 34-Button Backlit Display and the 34-Button Backlit Super Display. These feature-rich IP keysets offer the same features as their digital counterparts, have Full Duplex speakerphones, and are quick to set up in an IP environment. Compliant third-party SIP phones, soft phones, and Analog Telephone Adapters (ATAs) are also supported.

## PUT INTRAMAIL AND INTRAMAIL PRO TO WORK FOR YOU

**INTRAMAIL** The ability to add voice mail is built into the system and only requires a compact flash card to activate. IntraMail is a full-featured Voice Mail Auto Attendant system that will greet and transfer incoming callers and record voice mail messages. With built-in voice prompt guidance in English, Spanish, and French, IntraMail is a great fit in multilingual environments. From 2 to 8 voice mail ports are available and easily upgraded through licensing.

### Some of the advanced features of IntraMail include:

**Message Center** – Notify groups of extensions of important messages with visual indication using a message center key.

**Directory Dialing** – Dial a name instead of a number to reach your party.

**Message on Hold** – Record your own informative company message.

**Caller ID** – Caller information is verbally provided with a voice mail message.

**Message Notification** – You can receive a call - anywhere - when a new message arrives.

**Conversation Record** – Save and record your conversation with the touch of a button.

**Live Call Screening** – Listen as callers are leaving you a message and pick up only the calls you want to answer.

**Park and Page** – Allows a caller to page you without operator assistance. You can pick up the call from any extension.

**INTRAMAIL PRO** Supports all of the features of the IntraMail *plus*:

**Email Integration** – Receive notification of a new voice mail message to your inbox. The notification includes the caller's number and name and can optionally include the recorded message as a .WAV file attachment.

**Cascading Message Notification** – Cascading Message Notification can call you at up to five preset destinations to let you know a new voice mail message has arrived.

**Find Me Follow Me** – Helps an Automated Attendant caller find you when you are not at your desk.

**Upgrade License** – Simple license upgrade from IntraMail to IntraMail Pro.







**BUILT-IN CALLER ID (WITH CALL WAITING)** The capability for Caller ID (with Call Waiting) is inherent in every DSX system. With Caller ID, you can identify incoming callers before the call is answered. The caller's name and number (if available) will appear simultaneously in the display.

**Logging** – Stores the name, number and time/date of outside calls. This allows for easy review, save and redial of received calls.

**Checking** – A manager can have the capability to view Caller ID information associated with a co-worker's line or extension.

**Return Call** – Easily return a call without manually re-entering the caller's number. Select from a list of choices or have the system automatically redial the call for you.

**To Analog Ports** – Caller ID information can be sent to analog single line ports for use with customer-provided Caller ID accessories.

**OFFICE ADMINISTRATOR PC PROGRAM** An office supervisor can quickly customize basic system features from their PC with the Windows™-based Office Administrator. This includes the Time and Date options, important extension feature and voice mail options, and Speed Dial numbers. These features can also be programmed from an office administrator's phone.

## CUSTOMIZE YOUR COMMUNICATION SOLUTION

**Advanced telephone features include:**

**Backlit Display and Illuminated Dial Pad<sup>1</sup>** – for easy viewing in low light areas.

**Interactive Soft Keys** – that change function as you use your phone, allowing you to access to advanced features by just pressing a key.

**User Level Programming** – easy and intuitive guided menu system for customizing the features of your telephone.

**Hot Dial Pad** – that lets you dial a call without first lifting the handset or pressing keys.

**Dual color (red/green) LEDs** – to help you easily distinguish between your calls and those of co-workers.

**Desk Stand** – adjustable for two different positions.

**Wall Mounting** – built-in for low-profile wall mounting capability.



### Cordless DECT

Offers mobility plus many standard features of the wired telephone, including handsfree, 8 programmable feature keys with LEDs, and a backlit display. Range is extendable via repeaters.



### Wireless Headset Adapter<sup>1</sup>

Provides seamless integration with Plantronics Wireless Headset Systems. (Headset System not included.)

### 22-Button Display

Offers a large display, programmable keys, and a built-in speakerphone – making this the most economical option without sacrificing convenience.



### 34-Button Display<sup>2</sup>

The same features as the 22-Button Display, plus additional programmable keys, and is enhanced with a backlit display and illuminated dial pad.

### DSS Console

For power users, provides another 60 dual color programmable keys.



### 34-Button Super Display<sup>2</sup>

All the features of the 34-Button Display and offers our largest, most interactive display for advanced users. Unique light sensor automatically adjusts the phone's brightness based on room lighting.



<sup>1</sup> Select models.

<sup>2</sup> Available in IP and digital telephone models.

DSX digital telephones and console are available in black or white. IP and cordless telephones are available in black only.

# DSX Specifications and Features



## Specifications<sup>1</sup>

### DSX-40

	Base	Max <sup>1</sup>
Digital Stations	8	24
VoIP Stations	32 <sup>4</sup>	32 <sup>4</sup>
VoIP Gateway Ports	8	8
Analog Stations	2	18
Lines	4	8
Door Box Ports	2	2

### DSX-80

Slots	4
Digital Stations	32
VoIP Stations	32 <sup>4</sup>
VoIP Gateway Ports	16
Analog Stations	32
Lines	64

### DSX-160

Slots	8
Digital Stations	96
VoIP Stations	32 <sup>4</sup>
VoIP Gateway Ports	16
Analog Stations	96
Lines	64

### IntraMail

Voice Mail Ports	2, 4, 6, or 8
Storage Hours	8, 16, or 32 <sup>3</sup>
Subscriber Mailboxes	128

### General

One Pair Wiring  
USB 2.0 (Full Speed)  
10/100 BASE-TX Ethernet, Auto-MDIX  
RS-232 Serial Port for SMDR

## DSX Features

2-Position Telephone Angle Adjustment  
Account Codes  
Alphanumeric Display  
Ambient Light Sensor  
Attendant Position  
Auto Redial  
Auto Attendant (Built-in)  
Automatic Daylight Savings Time Adjustment  
Automatic Handsfree  
Automatic Ring Down  
Background Music  
Backlit Display (selected models)  
Barge In (Intrusion)  
Battery Backed-up Memory  
Call Coverage Keys  
Call Coverage On and Off Premises  
Call Timer (with or without a key)  
Call Waiting / Camp-On  
Callback  
Caller ID (with Call Waiting)  
Caller ID Logging (CID with Return Call)  
Caller ID Manual Callback  
Caller ID to Single Line Telephones  
Class of Service  
Conference (up to 8 parties per conference)  
Conference, Meet-Me  
Conference, Unsupervised  
Cordless Telephone  
Delayed Ringing  
Department Groups (for Ring and UCD Groups)  
Dial Number Preview  
Dial Tone Detection

Direct Inward Dialing (with ANI/DNIS and DID Translation Name)<sup>2</sup>  
Direct Station Selection (DSS)  
Direct Station Selection (DSS) Console  
Directed Call Pickup  
Directory Dialing with Search  
Distinctive Ring (ICM, CO, Ring Grp, Recall)  
Do Not Disturb  
Do Not Disturb Override  
Door Box (Analog)  
Extended Ringing  
Extension Hunting (Circular, Terminal, UCD)  
Extension Locking  
Flash  
Flexible Numbering Plan  
Forced Line Disconnect  
Group Call Pickup  
Group Listen  
Group Ring  
Handsfree and Handsfree Answerback  
Headset Compatibility  
Hold (with Recall Display)  
Hold and Park Programmable Recall Cycles  
Hot Dial Pad  
Hotline  
Illuminated Dial Pad (selected models)  
Interactive Soft Keys  
Intercom  
Intercom Queue Key  
Internet Time Service  
ISDN / PRI<sup>2</sup>  
Language Selection  
Last Number Redial  
Line Groups  
Line Keys  
Line Queuing / Callback  
Line Scheduling  
Loop Keys  
Meet-Me Conference  
Message on Hold (Built-in)  
Message Waiting  
Microphone Mute  
Modem (Built-In)  
Monitor / Silent Monitor  
Music on Hold  
Names for Extensions and Lines  
Night Service / Night Ring  
Off-Hook Signaling  
Office Administrator PC Program  
Paging (Internal and External)  
Park (with Recall Display)  
Park Orbit Recall Pickup  
Password Reset Utility  
PBX / Centrex Compatibility  
PC Program (System Administrator)  
Prime Line Preference  
Privacy  
Privacy Release Groups  
Private Line  
PRI / ISDN<sup>2</sup>  
PRI Calling Party Number  
Pulse to Tone Conversion  
Remote Programming  
Removing Lines and Extensions From Service  
Reverse Voice Over  
Ring / Message Lamp  
Ringdown Extension  
Ringing Line Preference  
Room Monitor  
Save Number Dialed

Selectable Display Messaging  
Silent Monitor  
Single Line Telephones  
Speakerphone  
Speed Dial  
Split (Alternate)  
Station Message Detail Recording  
System Programming Backup and Restore  
System Programming Password Protection  
T1 Lines<sup>2</sup>  
Tie Lines<sup>2</sup>  
Time and Date  
Toll Restriction  
Transfer (with Recall Display)  
Upgrades via License for VoIP Ports  
User Level Programming  
Voice Mail  
Voice Over  
VoIP Extensions  
Volume and Contrast Controls  
Walking Class of Service  
Wall Mount / Desk Stand (Built-in)  
Wireless Headset Adapter (WHA)

## IntraMail Features

Announcement Message  
Answering Machine Emulation / Call Screen  
Auto Time and Date Stamp  
Automated Attendant  
Broadcast Message  
Caller ID (with Return Call)  
Centrex Transfer  
Conversation Record  
Directory Dialing  
Distribution Lists  
Email Integration with Name<sup>3</sup>  
External Transfer  
Fax Detection  
Find Me Follow Me<sup>3</sup>  
Flexible Answering Schedules  
Interactive Soft Keys  
Message Center Mailbox  
Message Notification (Local and Remote)  
Message Notification (Cascading<sup>3</sup>)  
Multilingual Prompts (English, Spanish, French)  
Multiple Company Greeting (8)  
Number of Messages Displayed  
Park and Page  
Personal Greeting (3)  
Security Code (with Option)  
Single Digit Dialing  
System Administrator  
Upgrades via License for IntraMail Ports, and IntraMail Pro  
Voice Mail Overflow  
Voice Prompting Messages

<sup>1</sup> Capacities listed are system maximums and may be limited by system configuration.

<sup>2</sup> DSX-80/160 only.

<sup>3</sup> Requires IntraMail Pro.

<sup>4</sup> Connectivity limited by available VoIP Gateway ports.

©NEC Unified Solutions, Inc. 7/09  
6555 N. State Hwy 161, Irving, Texas 75039  
DSX is a trademark of NEC Infrontia Corporation.  
Some features may be optional or available at a future date.  
Recording of phone calls is subject to varying state and federal laws.  
The information herein is subject to change without notice at the sole discretion of NEC.



Rev. 2, 7/09  
Printed in U.S.A.

To find out more about the DSX and how NEC's powerful and versatile technology platforms can work for you, contact your local NEC dealer, visit our web site at [www.necdex.com](http://www.necdex.com), or call 800-365-1928.

Empowered by Innovation

